

Efficacy of sublingual immunotherapy tablets in dust mite and pollen allergy

Authors: Bisyuk, Yuriy [1] ; DuBuske, Ilona [2] ; DuBuske, Lawrence M. [2] ;
Source: Allergy and Asthma Proceedings, Volume 42, Number 1, 1 January 2021, pp. 36-42(7)
Publisher: OceanSide Publications, Inc
DOI: https://doi.org/10.2500/aap.2021.42.200109

Abstract | References | Citations | Supplementary Data | Suggestions

The latest evidence on the mechanisms, efficacy, and safety of sublingual immunotherapy (SLIT) was reviewed. Interleukin (IL) 35 and IL-35-producing regulatory T cells were assessed as new biomarkers for SLIT responsiveness. A detailed analysis of clinical studies, including timothy grass pollen, 5-grass pollen, ragweed, and house-dust mite SLIT tablets, was provided, including a comparative analysis of efficacy and safety of SLIT versus subcutaneous immunotherapy.

Document Type: Research Article

Affiliations: **1:** From the Department of Clinical Laboratory Immunology and Allergy, Shupyk National Medical Academy of Postgraduate Education, Kyiv, Ukraine; **2:** Immunology Research Institute of New England, Gardner, Massachusetts;

Publication date: 1 января 2021 г.